

Scan results for www.kxntrst.com/polityka_prywatnosci_i_dostepnosc_cyfro...

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Sat Oct 12, 2024


KXNTRST
music festival

Thank you for making your website accessible and inclusive for all users with disabilities

Congratulations!

By making your website accessible, you embrace inclusivity and open your business to over 16% of the population.

Website Exposure



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	3	0	100

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

#	Element	Relevant	Successes	Failures	Score
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	3	0	100

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

#	Element	Relevant	Successes	Failures	Score
3	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	10	0	100

Code snapshots of successful elements

1 `Polityka Prywatności i Deklaracja Cyfrowa`

2 `line up`

3 `artyści`

4 `o nas`

5 `PL`

6 `EN`

7 ``

8 ``

```
9 <a href="https://www.tiktok.com/@kxntrst" aria-label="Przycisk prowadzący do strony Festiwalu KXNTRST na portalu społecznościowym Tik Tok." >Polityka Prywatności i Deklaracja Cyfrowa</a>
```

```
2 <a href="./index.html#line-up-section" class="page-link" >line up</a>
```

```
3 <a href="./index.html#artists-section" class="page-link" >artyści</a>
```

```
4 <a href="./index.html#about-section" class="page-link" >o nas</a>
```

```
5 <a id="lang-pl" class="lang-button" href="./polityka_prywatnosci_i_dostepnosc_cyfra.html" aria-label="PL. Przycisk zmiany języka strony na język polski." >PL</a>
```

```
6 <a id="lang-en" class="lang-button" href="./privacy_policy_and_digital_accessibility.html" aria-label="EN. Przycisk zmiany języka strony na język angielski." >EN</a>
```

```
7 <a href="https://www.instagram.com/kxntrst/" aria-label="Przycisk prowadzący do strony Festiwalu KXNTRST na portalu społecznościowym Instagram." >POLITYKA PRYWATNO ŚCI</h1>
```

Code snapshots of successful elements

```
1 <h1 role="heading" aria-level="1" id="polityka-title-left">POLITYKA PRYWATNO ŚCI</h1>
```

#	Element	Relevant	Successes	Failures	Score
6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	2	0	100

#	Element	Relevant	Successes	Failures	Score
7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a href="#leftcolumn" class="skip-link" >Przejdź do Polityki Prywatności</a>
```

Code snapshots of successful elements

```
1 <a href="#leftcolumn" class="skip-link" >Przejdź do Polityki Prywatności</a>
```

#	Element	Relevant	Successes	Failures	Score
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	5	0	100

Code snapshots of successful elements

```
1 
```

```
2 
```

```
3 
```

```
4 
```

```
5 
```

Code snapshots of successful elements

```
1 
```

```
2 
```

```
3 
```

```
4 
```

```
5 
```

#	Element	Relevant	Successes	Failures	Score
19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <i class="fa fa-bars" ></i>
```

Code snapshots of successful elements

```
1 <i class="fa fa-bars" ></i>
```

#	Element	Relevant	Successes	Failures	Score
21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0	

#	Element	Relevant	Successes	Failures	Score
25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <title>KXNTRST Music Festival - Polityka Prywatności i Dostępność Cyfrowa</title>
```

Code snapshots of successful elements

```
1 <title>KXNTRST Music Festival - Polityka Prywatności i Dostępność Cyfrowa</title>
```


#	Element	Relevant	Successes	Failures	Score
32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html lang="en"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>KXNTRST Music Festival - Polityka Prywatności i Dostępność Cyfrowa</title> <link rel="icon" type="image/png" h...
```

Code snapshots of successful elements

```
1 <html lang="en"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>KXNTRST Music Festival - Polityka Prywatności i Dostępność Cyfrowa</title> <link rel="icon" type="image/png" h...
```

#	Element	Relevant	Successes	Failures	Score
33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

#	Element	Relevant	Successes	Failures	Score
34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <main> <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button> <a href="#leftcolumn" class="s...
```

Code snapshots of successful elements

```
1 <main> <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button> <a href="#leftcolumn" class="s...
```

#	Element	Relevant	Successes	Failures	Score
35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100

#	Element	Relevant	Successes	Failures	Score
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	31	0	100

Code snapshots of successful elements

```
1 <h1 role="heading" aria-level="1" id="polityka-title-left">POLITYKA PRYWATNOŚCI</h1>
```

```
2 <div id="polityka-tresc"> <br ><br > <strong role="heading" aria-level="2">Polityka Prywatności</strong><br ><br > <strong role="heading" aria-level="3">1. Wstęp</strong><br ><br > ...
```

```
3 <strong role="heading" aria-level="2">Polityka Prywatności</strong>
```

```
4 <strong role="heading" aria-level="3">1. Wstęp</strong>
```

```
5 <strong role="heading" aria-level="3">2. Administrator Danych Osobowych</strong>
```

```
6 <strong role="heading" aria-level="3">3. Zakres zbieranych danych</strong>
```

```
7 <strong role="heading" aria-level="3">4. Cel przetwarzania danych</strong>
```

```
8 <strong role="heading" aria-level="3">5. Pliki cookies</strong>
```

```
9 <strong role="heading" aria-level="3">6. Przekazywanie danych osobowych</strong>
```

```
10 <strong role="heading" aria-level="3">7. Twoje prawa</strong>
```

Code snapshots of successful elements

- 1 `<h1 role="heading" aria-level="1" id="polityka-title-left">POLITYKA PRYWATNOŚCI</h1>`
- 2 `<div id="polityka-tresc">

 <strong role="heading" aria-level="2">Polityka Prywatności

 <strong role="heading" aria-level="3">1. Wstęp

 ...`
- 3 `<strong role="heading" aria-level="2">Polityka Prywatności`
- 4 `<strong role="heading" aria-level="3">1. Wstęp`
- 5 `<strong role="heading" aria-level="3">2. Administrator Danych Osobowych`
- 6 `<strong role="heading" aria-level="3">3. Zakres zbieranych danych`
- 7 `<strong role="heading" aria-level="3">4. Cel przetwarzania danych`
- 8 `<strong role="heading" aria-level="3">5. Pliki cookies`
- 9 `<strong role="heading" aria-level="3">6. Przekazywanie danych osobowych`
- 10 `<strong role="heading" aria-level="3">7. Twoje prawa`

#	Element	Relevant	Successes	Failures	Score
38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	