

Scan results for www.kxntrst.com/artist_pages/voice_act_ft_jim_black.html

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Sat Oct 12, 2024


KXNTRST
music festival

Thank you for making your website accessible and inclusive for all users with disabilities

Congratulations!

By making your website accessible, you embrace inclusivity and open your business to over 16% of the population.

Website Exposure



| # | Element | Relevant | Successes | Failures | Score |
|---|---|----------|-----------|----------|-------|
| 1 | Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button". | Yes | 3 | 0 | 100 |

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

| # | Element | Relevant | Successes | Failures | Score |
|---|---|----------|-----------|----------|-------|
| 2 | Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 3 | 0 | 100 |

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

Code snapshots of successful elements

```
1 <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button>
```

```
2 <button id="accept-cookies" >Akceptuj</button>
```

```
3 <button id="reject-cookies" >Odrzuć</button>
```

| # | Element | Relevant | Successes | Failures | Score |
|---|---|----------|-----------|----------|-------|
| 3 | Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 10 | 0 | 100 |

Code snapshots of successful elements

```
1 <a class="polityka-prywatnosci" href="/polityka_prywatnosci_i_dostepnosc_cyfrowa.html" >Polityka Prywatności i Deklaracja Cyfrowa</a>
```

```
2 <a href=" ../index.html#line-up-section" aria-label="line up. Przycisk menu głównego prowadzący do sekcji line up." class="page-link" >line up</a>
```

```
3 <a href=" ../index.html#artists-section" aria-label="artyści. Przycisk menu głównego prowadzący do sekcji artyści." class="page-link" >artyści</a>
```

```
4 <a href=" ../index.html#about-section" aria-label="o nas. Przycisk menu głównego prowadzący do sekcji o nas." class="page-link" >o nas</a>
```

```
5 <a id="lang-pl" class="lang-button" aria-label="PL. Przycisk zmiany języka strony na język polski." href=" ../voice_act_ft_jim_black.html" >PL</a>
```

```
6 <a id="lang-en" class="lang-button" aria-label="EN. Przycisk zmiany języka strony na język angielski." href=" ../voice_act_ft_jim_black_en.html" >EN</a>
```

```
7 <a href="https://www.instagram.com/kxntrst/" aria-label="Przycisk prowadzący do strony Festiwalu KXNTRST na portalu społecznościowym Instagram." >Polityka Prywatności i Deklaracja Cyfrowa</a>
```

```
2 <a href="../index.html#line-up-section" aria-label="line up. Przycisk menu głównego prowadzący do sekcji line up." class="page-link" >line up</a>
```

```
3 <a href="../index.html#artists-section" aria-label="artyści. Przycisk menu głównego prowadzący do sekcji artyści." class="page-link" >artyści</a>
```

```
4 <a href="../index.html#about-section" aria-label="o nas. Przycisk menu głównego prowadzący do sekcji o nas." class="page-link" >o nas</a>
```

```
5 <a id="lang-pl" class="lang-button" aria-label="PL. Przycisk zmiany języka strony na język polski." href="/voice_act_ft_jim_black.html" >PL</a>
```

```
6 <a id="lang-en" class="lang-button" aria-label="EN. Przycisk zmiany języka strony na język angielski." href="/voice_act_ft_jim_black_en.html" >EN</a>
```

```
7 <a href="https://www.instagram.com/kxnrst/" aria-label="Przycisk prowadzący do strony Festiwalu KXNTRST na portalu społecznościowym Instagram." >VOICE ACT F  
T. JIM BLACK</h1>
```

Code snapshots of successful elements

```
1 <h1 id="artist-name-left" class="colored-border-text-purple-big">VOICE ACT F  
T. JIM BLACK</h1>
```

| # | Element | Relevant | Successes | Failures | Score |
|---|---|----------|-----------|----------|-------|
| 6 | HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. | Yes | 5 | 0 | 100 |

| # | Element | Relevant | Successes | Failures | Score |
|---|--|----------|-----------|----------|-------|
| 7 | Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. | Yes | 2 | 0 | 100 |

Code snapshots of successful elements

1 `<strong role="heading" aria-level="3">VOICE ACT`

2 `<strong role="heading" aria-level="3">Jim Black`

Code snapshots of successful elements

1 `<strong role="heading" aria-level="3">VOICE ACT`

2 `<strong role="heading" aria-level="3">Jim Black`

| # | Element | Relevant | Successes | Failures | Score |
|---|--|----------|-----------|----------|-------|
| 8 | Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. | Yes | Pass | - | 100 |

| # | Element | Relevant | Successes | Failures | Score |
|---|---|----------|-----------|----------|-------|
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". | Yes | Pass | - | 100 |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 10 | Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. | Yes | Pass | - | 100 |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 11 | Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 12 | Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer. | Yes | Pass | - | 100 |

Code snapshots of successful elements

```
1 <a href="#opis-artysty" class="skip-link" >Przejdź do sekcji Opis Artysty</a>
```

Code snapshots of successful elements

```
1 <a href="#opis-artysty" class="skip-link" >Przejdź do sekcji Opis Artysty</a>
```

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 13 | Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 14 | Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 15 | Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 16 | Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 17 | Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 18 | Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. | Yes | 8 | 0 | 100 |

Code snapshots of successful elements

```
1 
```

```
2 
```

```
3 
```

```
4 
```

```
5 
```

```
6 
```

```
7 
```

```
8 
```

Code snapshots of successful elements

1

2

3

4

5

6

7

8

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 19 | Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 20 | Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none". | Yes | Pass | - | 100 |

Code snapshots of successful elements

```
1 <i class="fa fa-bars" ></i>
```

Code snapshots of successful elements

```
1 <i class="fa fa-bars" ></i>
```

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 21 | Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 22 | Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 23 | Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 24 | Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 25 | Form elements cannot have the same ID, or else their corresponding label will provide false information. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 26 | Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 27 | The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 28 | aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 29 | All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 30 | Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 31 | The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. | Yes | Pass | - | 100 |

Code snapshots of successful elements

```
1 <title>Voice Act ft. Jim Black - KXNTRST Festiwal Muzyczny</title>
```

Code snapshots of successful elements

```
1 <title>Voice Act ft. Jim Black - KXNTRST Festiwal Muzyczny</title>
```

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100 |

Code snapshots of successful elements

```
1 <html lang="en"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Voice Act ft. Jim Black - KXNTRST Festiwal Muzyczny</title> <link rel="icon" type="image/png" href="../images/...
```

Code snapshots of successful elements

```
1 <html lang="en"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Voice Act ft. Jim Black - KXNTRST Festiwal Muzyczny</title> <link rel="icon" type="image/png" href="../images/...
```

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100 |

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 34 | Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. | Yes | Pass | - | 100 |

Code snapshots of successful elements

```
1 <main> <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button> <a href="#opis-artysty" c...
```

Code snapshots of successful elements

```
1 <main> <button id="swapColorsButton" class="colorswap-icon" aria-label="Swap Colors" >  </button> <a href="#opis-artysty" c...
```

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 35 | Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | Yes | Pass | - | 100 |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 36 | Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | Yes | Pass | - | 100 |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 37 | Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. | Yes | 18 | 0 | 100 |

Code snapshots of successful elements

```
1 <h1 id="artist-name-left" class="colored-border-text-purple-big">VOICE ACT FT. JIM BLACK</h1>
```

```
2 <h2 id="place-left" class="colored-border-text-purple-big">Nowa Miodowa <br> > Sala Koncertowa ZPSM Nr 1</h2>
```

```
3 <h3 id="address-left" class="colored-border-text-purple-small">Rakowiecka 21 <br> >02-517 Warszawa</h3>
```

```
4 <h4 id="date-and-time-left" class="colored-border-text-purple-small">22.11 P iątek<br> >20:30</h4>
```

```
5 <h2 id="artist-name-right" role="heading" aria-level="2">VOICE ACT FT. JIM BLACK</h2>
```

```
6 <div id="artist-description-right"> <strong role="heading" aria-level="3">VOICE ACT</strong> to projekt powstały z inicjatywy Anny Gadt. Jego założeniem było stworzenie wspólnotowej opowieści głosowej utkanej z czterech odmiennych...
```

```
7 <strong role="heading" aria-level="3">VOICE ACT</strong>
```

```
8 <strong role="heading" aria-level="3">Jim Black</strong>
```

```
9 <span class="highlight-text-tickets">bilety</span>
```

```
10 <p> Nasza strona internetowa używa plików cookies w celu zapewnienia prawidłowego funkcjonowania strony oraz analizowania ruchu. Poniżej możesz zaakceptować pliki cookies, lub odrzucić je. Strona spełnia wymogi dostępności cyfrowej...
```

Code snapshots of successful elements

```
1 <h1 id="artist-name-left" class="colored-border-text-purple-big">VOICE ACT FT. JIM BLACK</h1>
```

```
2 <h2 id="place-left" class="colored-border-text-purple-big">Nowa Miodowa <br> > Sala Koncertowa ZPSM Nr 1</h2>
```

```
3 <h3 id="address-left" class="colored-border-text-purple-small">Rakowiecka 21<br> >02-517 Warszawa</h3>
```

```
4 <h4 id="date-and-time-left" class="colored-border-text-purple-small">22.11 P<br> iątek<br> >20:30</h4>
```

```
5 <h2 id="artist-name-right" role="heading" aria-level="2">VOICE ACT FT. JIM B<br> LACK</h2>
```

```
6 <div id="artist-description-right"> <strong role="heading" aria-level="3">VO<br> ICE ACT</strong> to projekt powstały z inicjatywy Anny Gadt. Jego założeniem<br> było stworzenie wspólnotowej opowieści głosowej utkanej z czterech odmiennyc<br> h...
```

```
7 <strong role="heading" aria-level="3">VOICE ACT</strong>
```

```
8 <strong role="heading" aria-level="3">Jim Black</strong>
```

```
9 <span class="highlight-text-tickets">bilety</span>
```

```
10 <p> Nasza strona internetowa używa plików cookies w celu zapewnienia prawid<br> łowego funkcjonowania strony oraz analizowania ruchu. Poniżej możesz zaakce<br> ptować pliki cookies, lub odrzucić je. Strona spełnia wymogi dostępności cy<br> frowe...
```

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 38 | Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo". | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 40 | A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 41 | Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 42 | Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 43 | If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation". | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 44 | Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|--|----------|-----------|----------|-------|
| 45 | Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 46 | Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality." | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 48 | Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance. | No | 0 | 0 | |

| # | Element | Relevant | Successes | Failures | Score |
|----|---|----------|-----------|----------|-------|
| 49 | Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant. | No | 0 | 0 | |